



Universitair Centrum voor
Verpleegkunde en Vroedkunde



Methodologie: Kwalitatief onderzoek voor de gezondheidszorg

Gebruik van NVIVO

Prof. Dr. Sofie Verhaeghe

Ineke van Eechoud

Tina Vandecasteele

(gebaseerd op presentatie Saskia Decuman)






Voorbereiding



Transcripts van interviews

Interview transcripts are used to identify themes. These transcripts are read and analyzed by the researcher. The researcher identifies themes and codes them. The themes are then organized into categories. The categories are then used to analyze the transcripts.

Analyse



Rapport opmaken



Cyclisch proces




Voorbereiding

- Transcriberen
- Project aanmaken
- Importeren van transcripts

Analyse

Transcripts van interviews

Interviews worden opgenomen en geschreven. De transcripten zijn de gesproken woorden van de interviewees. Ze worden gebruikt voor de analyse.



Cyclisch proces



Rapport opmaken



VOORBEREIDING

Na de afname van een interview:


- Interview uittypen (transciberen)
 - Voor- en nadelen van transcriberen?
 - Voor- en nadelen van uitbesteden van transcriberen?
- Onderscheid interviewer en geïnterviewde
- WORD-document



VOORBEREIDING

Vooraleer transcript (word-doc.) kan ingeladen worden:

- Opslaan op (C: of H:)schijf
 - Apart mapje aanmaken met transcripts (bv. ‘Interviews voor Nvivo’)





VOORBEREIDING - PROJECT AANMAKEN

- Nvivo via Athenax (<https://athenax.ugent.be/vpn/index.html>)
- > ‘Academic’


The screenshot shows a web browser window with the following details:

- Address Bar:** https://athena.ugent.be/Citrix/XenApp/site/default.aspx?CTX_CurrentFolder=%5c
- Tab Bar:** minerva.ugent.be, Athena - Applicaties
- Toolbar:** Bestand, Bewerken, Beeld, Favorieten, Extra, Help
- Quick Links:** Aanbevolen websites, Outlook, KCGG, UGent - Homepage, Minerva, Athena - Applicaties, Microsoft Forefront TMG, Galerie Webslices
- User Information:** Aangemeld als: tivdcast
- Header Buttons:** Zoeken, Instellingen, Afmelden, Athena
- Main Content Area:** Hoofdpagina. It features five icons: Academic (highlighted with a red border), MyAthena, Office, Tools, and Index.
- Bottom Right Corner:** A circular icon containing the number 6.



VOORBEREIDING - PROJECT AANMAKEN

> ‘Nvivo11’





VOORBEREIDING - PROJECT AANMAKEN

> ‘Blank project’

The screenshot shows the NVivo Pro software interface. On the left, a sidebar titled 'NVivo Pro' displays 'Recent Projects' and a message stating 'You haven't opened any projects recently.' Below this is a button labeled 'Open Other Project'. At the bottom of the sidebar are links for 'Help' and 'Tutorials'. The main area is titled 'New' and contains two options: 'Blank Project' (which is highlighted with a red box) and 'Sample Project'. Below this, there are sections for 'Learn and Connect' featuring 'Featured Video', 'Online Training', and 'Featured Help Article'. There are also sections for 'Featured eSeminar', 'The NVivo Blog', and 'Frequently asked questions'. At the bottom right, there is a 'Connect with us' section with icons for Facebook, LinkedIn, Twitter, and YouTube.

NVivo Pro

Recent Projects

You haven't opened any projects recently.

Click Blank Project to create a new project or click Open Other Project to browse for an existing project. Create a copy of the Sample Project to experiment with NVivo features.

FILE

New

Blank Project

Sample Project

Learn and Connect

Featured Video

Explore NVivo 11 Pro

Online Training

Register for online training

Featured Help Article

Get familiar with the workspace

Featured eSeminar

Good Study Habits with NVivo

Study smarter with NVivo

The NVivo Blog

Twitter - a great resource for researchers

Frequently asked questions

Search FAQs

Connect with us

Help

Tutorials



VOORBEREIDING - PROJECT AANMAKEN

> Titel en beschrijving project ingeven

The screenshot shows the NVivo Pro application interface. On the left, there's a sidebar with 'Recent Projects' (empty) and a 'FILE' menu. The main area has two buttons: 'Blank Project' and 'Sample Project'. Below them is a 'Learn and Connect' section with 'Featured Video', 'Online Training', and 'Featured Help Article'. A 'New Project' dialog box is open in the center, showing fields for 'Title' (filled with 'Project GOG - perspectief patiënten') and 'Description' (filled with 'Onderzoek over Grensoverschrijdend Gedrag in de zorgrelatie, vanuit het perspectief van de patiënt'). The 'File name' field contains '\\files\kceggem\home\Project GOG - perspectief patiënten.nvp'. There's also a checked checkbox for 'Write user actions to project event log'. At the bottom of the dialog are 'OK' and 'Cancel' buttons. Below the dialog, there are three cards: 'Study smarter with NVivo', 'Twitter - a great resource for researchers', and 'Search FAQs'. At the very bottom, there's a 'Connect with us' section with icons for Facebook, LinkedIn, Twitter, and YouTube.

NVivo Pro

FILE

New

Blank Project

Sample Project

Recent Projects

You haven't opened any projects recently.

Click Blank Project to create a new project or click Open Other Project to browse for an existing project. Create a copy of the Sample Project to experiment with NVivo features.

Open Other Project

New Project

Title: Project GOG - perspectief patiënten

Description: Onderzoek over Grensoverschrijdend Gedrag in de zorgrelatie, vanuit het perspectief van de patiënt

File name: \\files\kceggem\home\Project GOG - perspectief patiënten.nvp

Write user actions to project event log

OK Cancel

Study smarter with NVivo

Twitter - a great resource for researchers

Search FAQs

Connect with us

Help

Tutorials



VOORBEREIDING - PROJECT AANMAKEN

> ‘Leeg’ bestand

The screenshot shows the NVivo Pro software interface with the title "Project GOG - perspectiefpatiënten.nvp - NVivo Pro". The top menu bar includes FILE, HOME, CREATE, DATA, ANALYZE, QUERY, EXPLORE, LAYOUT, and VIEW. The HOME tab is selected. The toolbar below the menu contains icons for Go, Refresh, Open, Properties, Edit, Paste, Copy, Merge, Clipboard, Format, Paragraph, Styles, Editing, PDF Selection, Text, Region, Insert, Replace, Delete, and Spelling. On the left, a "Sources" panel lists "Internals", "Externals", "Memos", and "Framework Matrices". Below it, a "Sources" tree view shows "Nodes", "Classifications", "Collections", "Queries", "Reports", "Maps", and "Folders". A search bar at the top right allows searching within "Internals". The main workspace is currently empty, indicating a new or blank project.



VOORBEREIDING - PROJECT AANMAKEN

The screenshot shows the NVivo Pro software interface. The top menu bar includes FILE, HOME, CREATE, DATA, ANALYZE, QUERY, EXPLORE, LAYOUT, and VIEW. The HOME tab is selected. The ribbon below the menu bar contains various editing and search tools. On the left, a sidebar titled 'Sources' lists categories: Internals, Externals, Memos, and Framework Matrices. The 'Internals' category is currently selected and expanded, showing a table with columns: Name, Nodes, References, Created On, Created By, Modified On, and Modified By. The table is empty. At the bottom of the sidebar, there is a list of other project components: Sources, Nodes, Classifications, Collections, Queries, Reports, Maps, and Folders. A blue navigation bar at the very bottom indicates 'TV 0 Items'. In the center of the slide, there is an orange callout pointing to the 'Sources' section of the software interface.

→ **Sources:** alle mogelijke informatiebronnen
(transcripts, veldnota's, videofragmenten,...)



VOORBEREIDING - PROJECT AANMAKEN


The screenshot shows the NVivo Pro software interface for project management. The main window title is "Project GOG - perspectiefpatiënten.nvp - NVivo Pro". The top menu bar includes FILE, HOME, CREATE, DATA, ANALYZE, QUERY, EXPLORE, LAYOUT, and VIEW. The FILE tab is selected. The left sidebar displays a navigation tree with "Nodes" selected, along with other categories like "Cases", "Relationships", and "Node Matrices". Below the tree is a "Sources" section. The central workspace is titled "Nodes" and contains a table with columns: Name, Sources, References, Created On, Created By, Modified On, and Modified By. The "Name" column header is currently selected. The bottom status bar shows "TV 0 Items". A large blue arrow points from the left towards the "Nodes" table, highlighting the "Nodes" category in the sidebar.

→ Nodes: alle codes



VOORBEREIDING - IMPORTEREN VAN TRANSCRIPTS

- Transcript = source
- Rechtervak > Rechtermuisknop > ‘Import’ > ‘Import documents’





VOORBEREIDING - IMPORTEREN VAN TRANSCRIPTS

> ‘Import from..’ > ‘Browse’

The screenshot shows the NVivo Pro interface with the title bar "Project GOG - perspectief patiënten.nvp - NVivo Pro". The menu bar includes FILE, HOME, CREATE, DATA, ANALYZE, QUERY, EXPLORE, LAYOUT, and VIEW. The ribbon tabs are HOME, CREATE, DATA, ANALYZE, QUERY, EXPLORE, LAYOUT, and VIEW. The left sidebar shows "Sources" with categories: Internals, Externals, Memos, and Framework Matrices. The main workspace displays a table titled "Internals" with columns: Name, Nodes, References, Created On, Created By, Modified On, and Modified By. A modal dialog box titled "Import Internals" is open, containing a "Import from" input field and a "Browse..." button, which is highlighted with a red rectangle. At the bottom of the dialog are "More >>" and "OK" and "Cancel" buttons.



VOORBEREIDING - IMPORTEREN VAN TRANSCRIPTS

> (C: of H:)schijf: ‘Interviews voor Nvivo’

The screenshot shows the NVivo Pro interface with the title bar "Project GOG - perspectiefpatiënten.nvp - NVivo Pro". The menu bar includes FILE, HOME, CREATE, DATA, ANALYZE, QUERY, EXPLORE, LAYOUT, and VIEW. The toolbar contains various icons for workspace management, item properties, clipboard operations, and editing tools like Cut, Copy, Paste, Merge, Bold, Italic, Underline, Paragraph, Styles, Select, Find, Replace, Delete, and Spelling.

The main workspace displays a table titled "Internals" with columns: Name, Nodes, References, Created On, Created By, Modified On, and Modified By. The left sidebar shows a tree view of "Sources" with categories: Internals, Externals, Memos, and Framework Matrices. A search bar at the top of the workspace allows filtering by "Look for" and "Search In" (Internals).

A modal dialog box titled "Import Internals" is open in the foreground. It shows a file selection window titled "Import Sources" with the path "Users\kceggem\Desktop\NVIVO 11". The list of files and folders includes Default, drdmeyer, kceggem, AppData, Contacts, Desktop, artikels A, NVIVO 11, Intervi, Downloads, Favorites, Links, My Docume, My Music, My Pictures, and My Videos. A folder named "Interviews voor Nvivo" is highlighted with a red box. At the bottom of the dialog, there is a "Document Files (*.doc, *.docx, *") dropdown menu and two buttons: "Open" and "Cancel".

The bottom status bar shows "TV 0 items".



VOORBEREIDING - IMPORTEREN VAN TRANSCRIPTS

> Transcript (word.doc.) inladen > ‘Open’ > ‘OK’

The screenshot shows the NVivo Pro interface with the 'Import Sources' dialog box open. The dialog box lists Microsoft Word documents in a folder named 'Interviews voor Nvivo'. The file 'Patient 1.docx' is selected and highlighted with a red box. At the bottom right of the dialog box, the 'Open' button is also highlighted with a red box.

Name	Date modified	Type	Size
Patient 1.docx	16/05/2013 15:22	Microsoft Word Doc...	29 KB
Patient 2.docx	16/05/2013 15:23	Microsoft Word Doc...	31 KB
Patient 3.docx	16/05/2013 16:06	Microsoft Word Doc...	23 KB
Patient 4.docx	19/10/2013 22:31	Microsoft Word Doc...	14 KB
Patient 5.docx	16/05/2013 15:24	Microsoft Word Doc...	24 KB
Patiënt 6.docx	16/05/2013 15:25	Microsoft Word Doc...	28 KB
Patiënt 7.docx	16/05/2013 16:19	Microsoft Word Doc...	21 KB
Patiënt 8.docx	16/05/2013 15:26	Microsoft Word Doc...	22 KB
Patiënt 9.docx	16/05/2013 15:27	Microsoft Word Doc...	20 KB
Patiënt 10.docx	16/05/2013 15:28	Microsoft Word Doc...	18 KB
Patiënt 11.docx	16/05/2013 15:30	Microsoft Word Doc...	38 KB
Patiënt 12.docx	16/05/2013 15:30	Microsoft Word Doc...	17 KB



VOORBEREIDING - IMPORTEREN VAN TRANSCRIPTS

> Mogelijkheid beschrijving toe te voegen over interview

The screenshot shows the NVivo Pro interface with the title bar "Project GOG - perspectiefpatiënten.nvp - NVivo Pro". The menu bar includes FILE, HOME, CREATE, DATA, ANALYZE, QUERY, EXPLORE, LAYOUT, and VIEW. The toolbar has icons for Go, Refresh, Open, Properties, Edit, Paste, Copy, Merge, Format, Paragraph, Styles, Select, PDF Selection, Insert, Text, Find, Replace, Delete, and Spelling. The left sidebar shows "Sources" with categories: Internals, Externals, Memos, and Framework Matrices. Below this is a tree view with nodes: Sources, Nodes, Classifications, Collections, Queries, Reports, Maps, and Folders. A status bar at the bottom shows "TV 1 Item". The main workspace displays a table titled "Internals" with one row for "Patient 1". A "Document Properties" dialog box is open over the workspace, containing a "General" tab with fields: Name (Patient 1), Description (empty), Location (Internals), Size (13 KB), Color (None), Created On (6/10/2016 10:13), By (TV), Modified On (6/10/2016 10:13), and By (TV). The "OK" button is highlighted with a red box.



VOORBEREIDING - IMPORTEREN VAN TRANSCRIPTS

> Transcript zit nu in het programma

The screenshot shows the NVivo Pro interface with the title "Project GOG - perspectiefpatiënten.nvp - NVivo Pro". The top menu bar includes FILE, HOME, CREATE, DATA, ANALYZE, QUERY, EXPLORE, LAYOUT, and VIEW. The HOME tab is selected. The toolbar below has icons for Go, Refresh, Open, Properties, Item, Paste, Clipboard, Format, Paragraph, Styles, Editing, PDF Selection, Text, Region, Find, Replace, Delete, Insert, ABC, Spelling, and Proofing.

The left sidebar shows "Sources" with categories: Internals, Externals, Memos, and Framework Matrices. A red arrow points upwards from the bottom of the sidebar towards the main content area.

The main content area displays a table titled "Internals" with the following data:

Name	Nodes	References	Created On	Created By	Modified On	Modified By
Patiënt 1	0	0	6/10/2016 10:13	TV	6/10/2016 10:13	TV

The bottom status bar shows "TV 1 Item".




VOORBEREIDING - IMPORTEREN VAN TRANSCRIPTS

> Op dezelfde manier andere transcripts importeren

The screenshot shows the NVivo Pro software interface with the title "Project GOG - perspectief patiënten.nvp - NVivo Pro". The main window displays a table titled "Internals" under the "Sources" tab. The table has columns: Name, Nodes, References, Created On, Created By, Modified On, and Modified By. There are 18 items listed, all named "Patient" followed by a number (Patient 1 to Patient 18), created on 06/10/2016 at 10:41 by user TV, and modified on the same date at 10:41. The left sidebar shows categories like Internal, External, Memos, and Framework Matrices, with "Sources" currently selected. A bottom status bar indicates "TV 18 Items".

Name	Nodes	References	Created On	Created By	Modified On	Modified By
Patiënt 1	0	0	06/10/2016 10:13	TV	06/10/2016 10:13	TV
Patiënt 10	0	0	06/10/2016 10:41	TV	06/10/2016 10:41	TV
Patiënt 11	0	0	06/10/2016 10:41	TV	06/10/2016 10:41	TV
Patiënt 12	0	0	06/10/2016 10:41	TV	06/10/2016 10:41	TV
Patiënt 13	0	0	06/10/2016 10:41	TV	06/10/2016 10:41	TV
Patiënt 14	0	0	06/10/2016 10:41	TV	06/10/2016 10:41	TV
Patiënt 15	0	0	06/10/2016 10:41	TV	06/10/2016 10:41	TV
Patiënt 16	0	0	06/10/2016 10:41	TV	06/10/2016 10:41	TV
Patiënt 17	0	0	06/10/2016 10:41	TV	06/10/2016 10:41	TV
Patiënt 18	0	0	06/10/2016 10:41	TV	06/10/2016 10:41	TV
Patiënt 2	0	0	06/10/2016 10:41	TV	06/10/2016 10:41	TV
Patiënt 3	0	0	06/10/2016 10:41	TV	06/10/2016 10:41	TV
Patiënt 4	0	0	06/10/2016 10:41	TV	06/10/2016 10:41	TV
Patiënt 5	0	0	06/10/2016 10:41	TV	06/10/2016 10:41	TV
Patiënt 6	0	0	06/10/2016 10:41	TV	06/10/2016 10:41	TV
Patiënt 7	0	0	06/10/2016 10:41	TV	06/10/2016 10:41	TV
Patiënt 8	0	0	06/10/2016 10:41	TV	06/10/2016 10:41	TV
Patiënt 9	0	0	06/10/2016 10:41	TV	06/10/2016 10:41	TV

Voorbereiding





Voorbereiding




Transcripts van interviews

Interview transcripts are used to identify themes. In this example, the following themes are identified:

- A
- F
- G
- S
- G
- K
- F
- L
- O

Analyse



Rapport opmaken

- Toekennen van codes
- Toekennen van memo's
- Toekennen van annotaties

Cyclisch proces



TOEKENNEN VAN CODES

> Dubbelklik om interview te openen

Sources < Look for Search In Internals Find Now Clear Advanced Find

Project GOG - perspectiefpatiënten.nvp - NVivo Pro

FILE HOME CREATE DATA ANALYZE QUERY EXPLORE LAYOUT VIEW

Normal PDF Selection Text Region

Reset Settings Find Insert Replace Delete Spelling

Calibri 14

Format Paragraph Styles Editing Proofing

Go Refresh Open Properties Edit Paste Copy Merge Clipboard Workspace Item

Sources

Internals Externals Memos Framework Matrices

Internals

Name	Nodes	References
Patiënt 1	0	0
Patiënt 10	0	0
Patiënt 11	0	0
Patiënt 12	0	0
Patiënt 13	0	0
Patiënt 14	0	0
Patiënt 15	1	1
Patiënt 16	0	0
Patiënt 17	0	0
Patiënt 18	0	0
Patiënt 2	0	0
Patiënt 3	0	0
Patiënt 4	0	0
Patiënt 5	0	0
Patiënt 6	2	2
Patiënt 7	0	0
Patiënt 8	0	0
Patiënt 9	0	0

Sources

Nodes Classifications Collections Queries Reports Maps Folders

In Nodes Code At Enter node name (CTRL + Q)

TV 18 Items Linked Nodes: 0 References: 0 Read-Only Line: 1 Column: 0 100%

Patiënt 1 Click to edit

I: nee?

L: en de meisjes van IC DIEN wel.

I: ah ja.

L: en er was daar een meisje, een grote zwarte, met haar haar in een staart en ze was zo echt geassureerd. Zelfs eens op een namiddag was ze met mij naar de foto's en de echo geweest en we zijn dan meegegaan met de lift en dan in het naar beneden gaan zegt ze zo voor iedereen: goh ik ken u goed hoor zegt ze. Ik weet alles, ik weet waar dat je woont, ik weet alles van u, hoe oud dat je bent. En ze heeft dan ook eens gezegd: ja ik weet ook wat dat je hebt. En ik zeg zo tegen haar: ah, weet jij alles wat ik heb? Van waar weet jij dat zo allemaal? Wel ja zegt ze: van uw dossier, ik heb dat allemaal gezien in u dossier. En ik dacht zo bij mezelf van: mogen jullie stagiairs dat zo maar doen zonder dat aan de patiënten te vragen, zomaar in de mensen hun dossiers kijken?

I: of dat ze dat mogen?

H: ja?

I: u hebt dat niet graag dat ze dat doen?

L: Wel ja ik heb dat niet graag, ze mogen dat doen, maar ze mogen dan niet zo te werk gaan door dat voor gans de gang zo te zeggen van si en la en het gender. Ik persoonlijk zou liever hebben dat ze mij dat vragen.

I: of dat ze in u dossier mogen kijken?

L: ja.

I: ia, ok dat gaan we dan moeten mededelen als ie dat belangrijk vindt.



TOEKENNEN VAN CODES

> Selecteren van fragment om te coderen > Rechtermuisknop

The screenshot shows the NVivo Pro interface with the following details:

- Toolbar:** FILE, HOME, CREATE, DATA, ANALYZE, QUERY, EXPLORE, LAYOUT, VIEW.
- Format Bar:** Calibri 11pt, Normal, Paragraph, Styles, Editing, Proofing.
- Sources Panel:** Internals, Externals, Memos, Framework Matrices.
- Internal Sources List:** Patient 1 through Patient 18, Patient 20, Patient 21, Patient 22, Patient 23, Patient 24, Patient 25, Patient 26, Patient 27, Patient 28, Patient 29, Patient 30, Patient 31, Patient 32, Patient 33, Patient 34, Patient 35, Patient 36, Patient 37, Patient 38, Patient 39.
- Transcript View:** Patient 6 transcript. The text is as follows:

I: misschien kunt u vertellen met u ervaring in het ziekenhuis, hoe dat dat geevolueerd is.
E: eigenlijk over het algemeen goed. Het vervelende was dat ik graag een kamer alleen had gehad en die afspraak was al 2 maanden geleden, op 26 maart op consultatie geweest bij de [redacted] specialist en dan al onmiddellijk vastgelegd. En dan 2 maanden nadien de operatie en die was er niet die kamer en dat was heel(euh)zucht ja en dat kwam heel negatief over.
I: Direct een domper.
E: ja, vooral ik was heel nerveus en dat was zo ergens een veiligheid. Dingen die ik mij voorgesteld had, die kamer dat ik nog zo eventjes met mijn man kon zijn enzovoort, dus dat was dan een kamer van 3.
I: oei dat was al direct een kamer van 3.
E: ja ja ja, 2 oude dametjes, heel vriendelijk, daar gaat het niet over. Maar toch een enorme tegenvaller.
I: ja, ja het was niet zoals u zich had voorgesteld?
E: nee, en dat was waarschijnlijk vooral omdat ik zo nerveus was, ik had zo zelf al een invulling gemaakt van hoe dat het ging zijn dat verblijf daar en euh.
I: ja,hmm.
E: en dat was al de eerste tegenvaller. En dan is er wel iets geweest(stilte). Goh ja dat heeft onze verpleegster opgevangen en ja, mijn man en ik waren niet tevreden en we hebben dat ook heel erg geuit en 1 van de verpleegsters die van dienst was, die heeft dat gesprek gehoord
I: ja
- Bottom Status Bar:** TV 18 Items, Nodes: 2 References: 2, Read-Only, Line: 4 Column: 4, Enter node name (CTRL+Q), 100%.



TOEKENNEN VAN CODES

> 'Code...'

Screenshot of NVivo Pro software interface showing the process of coding patient transcripts.

The interface includes:

- Toolbar:** FILE, HOME, CREATE, DATA, ANALYZE, QUERY, EXPLORE, LAYOUT, VIEW.
- Sources Panel:** Internal, External, Memos, Framework Matrices.
- Internal List:** Shows 18 items (Patient 1 to Patient 18) with 0 nodes and 0 references each.
- Patient 6 Transcript:** Displays a conversation between Patient (I) and Researcher (E). A red box highlights the "Code..." option in the context menu for a selected text segment.
- Context Menu:** Options include Code..., Code to Recent Nodes, Code In Vivo, Uncode..., Uncode from Recent Nodes, Edit, Export Document..., Print, Cut, Copy, Paste, Paste As See Also Link, Delete, Select All, Links, Document Properties..., and Help.
- Bottom Status Bar:** TV 18 Items, Nodes: 2 References: 2, Read-Only, Line: 4 Column: 4, Code At, Enter node name (CTRL+Q), zoom controls (100%), and a circular progress bar.



TOEKENNEN VAN CODES

> ‘Nodes’ > ‘New Node’

The screenshot shows the NVivo Pro interface with the following details:

- Project:** Project GOG - perspectiefpatiënten.mvp
- Source:** Internals
- Nodes List:** A table showing 18 patients (Patient 1 to Patient 18) with 0 nodes each.
- Select Code Items Dialog:** A modal window titled "Select Code Items" is open, showing categories: Nodes (selected), Cases, and Relationships. It contains a search bar and a list of code items.
- New Node Dialog:** A small modal window at the bottom of the main interface is titled "New Node". It has fields for "I:" (containing "ja,hmm.") and "E:" (containing "en dat was al de eerste tegenvaller. En dan is er wel iets geweest(stilte). Goh ja dat heeft"). The "New Node" button is highlighted with a red box.
- Text Preview:** On the right, a preview pane shows snippets of text from the sources, with some parts redacted.
- Bottom Status Bar:** Shows "18 Items" and "Nodes: 0 References: 0 Read-Only Line: 7 Column: 72".

TOEKENNEN VAN CODES

> ‘Nodes’ > ‘New Node’ > code (‘naam’) invullen > ‘OK’

The screenshot shows the NVivo Pro interface with the following details:

- Toolbar:** FILE, HOME, CREATE, DATA, ANALYZE, QUERY, EXPLORE, LAYOUT, VIEW.
- Sources Panel:** Internal, External, Memos, Framework Matrices.
- Internal Nodes List:** Patient 1, Patient 10, Patient 11, Patient 12, Patient 13, Patient 14, Patient 15, Patient 16, Patient 17, Patient 18, Patient 2, Patient 3, Patient 4, Patient 5, Patient 6, Patient 7, Patient 8, Patient 9.
- Select Code Items Dialog:** A modal window titled "Select Code Items" with a search bar. It lists "Nodes" and "verwachting t.a.v. ziekenhuisopname". The "verwachting t.a.v. ziekenhuisopname" item is highlighted with a red box.
- Text Preview Area:** Displays a snippet of text from a source document. The highlighted node is applied to this text.
- Bottom Status Bar:** TV 18 items, Nodes: 0 References: 0, Read-Only, Line: 7 Column: 72, Code At: Enter node name (CTRL+Q), zoom controls, 100%.



TOEKENNEN VAN CODES

> Bij 'Nodes' > Eerste code

The screenshot shows the NVivo Pro interface with the title "Project GOG - perspectiefpatiënten.nvp - NVivo Pro". The top menu bar includes FILE, HOME, CREATE, DATA, ANALYZE, QUERY, EXPLORE, LAYOUT, and VIEW. The HOME tab is selected. The ribbon below the menu bar includes sections for Workspace (Go, Refresh, Open, Properties, Edit, Paste, Merge), Clipboard (Cut, Copy, Paste, Merge), Format (Paragraph, Styles), Editing (PDF Selection, Select, Text, Region, Find, Insert, Replace, Delete, Spelling), and Proofing (ABC, Spelling). On the left, a sidebar titled "Nodes" lists "Nodes", "Cases", "Relationships", and "Node Matrices". The main area displays a table titled "Nodes" with columns: Name, Sources, References, Created On, Created By, Modified On, and Modified By. Two rows are visible: "contact met hulpverleners" (Sources: 1, References: 1, Created On: 6/10/2016 11:25, Created By: TV, Modified On: 6/10/2016 11:25, Modified By: TV) and "verwachting t.a.v. ziekenhuisopname" (Sources: 2, References: 2, Created On: 6/10/2016 10:55, Created By: TV, Modified On: 6/10/2016 11:30, Modified By: TV). The row for "verwachting t.a.v. ziekenhuisopname" is highlighted with a red box. The bottom left corner shows a user icon and "TV - 2 Items".

Name	Sources	References	Created On	Created By	Modified On	Modified By
contact met hulpverleners	1	1	6/10/2016 11:25	TV	6/10/2016 11:25	TV
verwachting t.a.v. ziekenhuisopname	2	2	6/10/2016 10:55	TV	6/10/2016 11:30	TV



TOEKENNEN VAN CODES

> Bij openen van deze code (dubbelklikken): gecodeerde fragment zichtbaar

The screenshot shows the NVivo Pro interface with the following details:

- Toolbar:** FILE, HOME, CREATE, DATA, ANALYZE, QUERY, EXPLORE, LAYOUT, VIEW.
- Formatting:** Segoe UI font, 10pt, bold, italic, underline, etc.
- Editing:** Cut, Copy, Paste, Merge, Select, Find, Replace, Delete, Spelling.
- Nodes Panel:** Shows 'Nodes' selected in the left sidebar. A red box highlights the node 'verwachting t.a.v. ziekenhuisopname' in the 'Nodes' list, which has 1 source and 1 reference.
- Content Area:** Displays a fragment from 'Patient 6' under 'verwachting t.a.v. ziekenhuisopname'. The fragment is highlighted with a red box:

<Internals\Patiënt 6> - § 1 reference coded [1,12% Coverage]

Reference 1 - 1,12% Coverage

eigenlijk over het algemeen goed. Het vervelende was dat ik graag een kamer alleen had gehad en die afspraak was al 2 maanden geleden, op 26 maart op consultatie geweest bij de specialist en dan al onmiddellijk vastgelegd. En dan 2 maanden nadien de operatie en die was er niet die kamer en dat was heel(euh)(zucht) ja en dat kwam heel negatief over.
- Sources Panel:** Shows 'Sources' selected in the left sidebar. A red box highlights the 'Nodes' item under 'Sources'.
- Bottom Status Bar:** Shows '1 Item', 'Sources: 1 References: 1', 'Unfiltered', and a zoom level of '100%'.



TOEKENNEN VAN CODES

- > Tip: Aanduiden van wat reeds gecodeerd werd in transcript
- > ‘View’ > ‘Highlight’ > ‘Coding for all nodes’

The screenshot shows the NVivo Pro interface with the following key elements:

- Toolbar:** FILE, HOME, CREATE, DATA, ANALYZE, QUERY, EXPLORE, LAYOUT, VIEW. The VIEW tab is selected.
- VIEW dropdown menu:** Annotations, See Also Links, Relationships, Node Matrix, Classification, Previous, Next, Reference, Color Scheme, Visualization. The "Highlight" option is highlighted with a red box.
- Sources panel:** Internal, External, Memos, Framework Matrices. The "Sources" section is highlighted with a red box.
- Content area:** Shows a list of patients (Patient 1 to Patient 18) with their respective node and reference counts. A specific entry for Patient 1 is expanded, showing a transcript of a conversation where a code has been applied. The highlighted text in the transcript is also highlighted in the list view.
- Bottom status bar:** TV 18 Items, Nodes: 1 References: 1, Read-Only, Line: 2 Column: 9, 100%.



TOEKENNEN VAN CODES

> Meerdere codes kunnen toegekend worden aan eenzelfde fragment

The screenshot shows the NVivo Pro interface for a project titled "Project GOG - perspectiefpatiënten.nvp". The top menu bar includes FILE, HOME, CREATE, DATA, ANALYZE, QUERY, EXPLORE, LAYOUT, VIEW, and various viewing options like Dock All, Zoom, Layout, Coding Stripes, and Highlight.

The left sidebar displays the "Sources" section with categories: Internals, Externals, Memos, and Framework Matrices. Below this is a detailed list of patient sources, each with a "Name", "Nodes", and "References" column. Patients 1 through 18 are listed, with Patient 6 having 1 node and Patient 1 having 0 nodes.

The main workspace shows a transcript of a conversation between Patient 6 and a healthcare professional (E). The text reads:

I: misschien kunt u vertellen met u ervaring in het ziekenhuis, hoe dat dat gevoelde is.
E: eigenlijk over het algemeen goed. Het vervelende was dat ik graag een kamer alleen had gehad en die afspraak was al 2 maanden geleden, op 26 maart op consultatie geweest bij de specialist en dan onmiddellijk vastgelegd. En dan 2 maanden nadat de operatie en die was er niet die kamer en dat was heel(euh)(zucht) ja en dat kwam heel negatief.
I: Direct een domper.
E: ja, vooral ik was heel nerveus en dat was zo ergens een voorgesteld had, die kamer dat ik nog zo eventjes met mijn man een kamer van 3.
I: oei dat was al direct een kamer van 3.
E: ja, ja, 2 oude dametjes, heel vriendelijk, daar gaat het tegenvalt.
I: ja, ja het was niet zoals u zich had voorgesteld?
E: nee, en dat was waarschijnlijk vooral omdat ik zo nerveus gemaakt van hoe dat het ging zijn dat verblif daar en euh.
I: ja, hmm.
E: en dat was al de eerste tegenvalt. En dan is er wel iets onze verpleegster opgevangen en ja, mijn man en ik waren niet tevreden en we hebben dat ook heel erg gezien en 1 van de verpleegsters die van dienst was, die heeft dat gesprek gehoord
I: ja

A context menu is open over the text "die was er niet", with the "Code..." option highlighted by a red box. Other options in the menu include "Code to Recent Nodes", "Code In Vivo", "Uncode...", "Uncode from Recent Nodes", "Edit", "Export Document...", "Print", "Cut", "Copy", "Paste", "Paste As See Also Link", "Delete", "Select All", "Links", and "Document Properties...".

The bottom status bar shows: TV 18 Items, Nodes: 1 References: 1, Read-Only, Line: 7 Column: 72, and a zoom level of 100%.



TOEKENNEN VAN CODES

> Meerdere codes kunnen toegekend worden aan eenzelfde fragment

The screenshot shows the NVivo Pro interface with the title bar "Project GOG - perspectiefpatiënten.nvp - NVivo Pro". The menu bar includes FILE, HOME, CREATE, DATA, ANALYZE, QUERY, EXPLORE, LAYOUT, and VIEW. The VIEW tab is selected, showing various visualization options like Annotations, See Also Links, Relationships, Node Matrix, Classification, Previous, Next, Color Scheme, and Visualization.

The main workspace displays a list of sources under "Sources". The "Internals" section lists patients from "Patient 1" to "Patient 18", with "Patient 6" having 1 reference. The "Nodes" section shows a table with columns "Name", "Nodes", and "References".

A "Select Code Items" dialog box is open, showing a list of nodes. One node, "contact met hulpverleners", is highlighted with a red border. The dialog has buttons "New Node", "OK", and "Cancel".

The right side of the screen shows a text fragment with several lines of text in black and white, indicating a search result or a specific text segment being analyzed. A red circle highlights the word "ja" at the bottom of the text area.

At the bottom of the interface, there are status bars: "In Nodes", "Code At verwachting t.a.v. ziekenhuisopname (Nodes)", and "18 Items Nodes: 1 References: 1 Read-Only Line: 7 Column: 72". The bottom right corner shows a circular progress bar with the number "31".



TOEKENNEN VAN CODES

- > Coderen onder bestaande codes
- > ‘Code to recent nodes’ > gewenste code aanklikken

The screenshot shows the Nvivo Pro interface with the title bar "Project GOG - perspectief patiëntenv.npv - Nvivo Pro". The main window displays a transcript of a patient interview. On the left, the "Sources" pane shows a list of patients (Patient 1 to Patient 15) under the "Internals" category. The right pane shows a transcript window for "Patient 15" with several lines of dialogue. A context menu is open over the text "contact met hulpverl...". The menu is titled "Code to Recent Nodes" and includes options like "Code in View" (highlighted with a red box), "Code from Recent Nodes", "Edit", "Export Document...", "Print", "Cut", "Copy", "Paste", "Delete", "Select All", and "Links". Below the menu, a tooltip says "contact met hulpverleners (Nodes)" and "verwachting t.a.v. ziekenhuisopname (Nodes)". The bottom status bar shows "TV 18 Items Nodes: 0 References: 0 Read-Only Line: 113 Column: 0" and "100%".



TOEKENNEN VAN CODES

> Bekijken van fragmenten onder een code (dubbelklikken op code)

The screenshot shows the NVivo Pro interface with the following details:

- Toolbar:** FILE, HOME, CREATE, DATA, ANALYZE, QUERY, EXPLORE, LAYOUT, VIEW.
- View Options:** Annotations, See Also Links, Relationships, Coding Stripes, Node Matrix, Previous, Next, Report, Color Scheme, Visualization.
- Search Bar:** Look for [Patient 15], Search In [Nodes].
- Left Sidebar (Nodes View):** Nodes, Cases, Relationships, Node Matrices. The "Nodes" tab is selected and highlighted with a red box.
- Central List:** Nodes table with columns Name, Sources, References.

Name	Sources	References
contact met hulpverleners	1	1
verwachting t.a.v. ziekenhuisopname	2	2

A red box highlights the row for "verwachting t.a.v. ziekenhuisopname".
- Right Panel:** Displays two fragments of transcribed text under the selected node:

P: nee, zeker niet. Want deze morgen, ze hadden hier een nieuwe fles angelegd en ze druppelde en het was hier allemaal water en dat liep allemaal achter die kabel. En ik ben er mee weer geweest en ik zei: kijk dat druppelt hier maar ik weet niet van waar dat komt. Ze hebben dus een nieuwe fles gegeven, die fles is kapot en ze hebben dan deze er aan gehangen en dat druppelde dus weer. Ik ben nog een keer terug gegaan en ik zeg: kijk dat druppelt hier weer, kan dat hier kapot zijn, die druppelaar. Ze zeggen: nee, dat kan niet breken. Nu ik heb er dan naar gekeken, ik heb mijn bril genomen en het zat er niet ver genoeg in, dus dat zal de eerste keer waarschijnlijk ook wel zo geweest zijn. Maar door het feit dat die deur open stond bij mijne kamerad, kamer 412, daar waar dat de monitor staat, dus de deur stond open inzag ik hem liggen. Ik zeg: hoe is het? Niet goed zegt hij, kijk ik heb weeraal ik weet niet hoelang gebeld en er is niemand die afkomt. En ze stonden daar eigenlijk in een klein lokaltje naast het bureau, waarschijnlijk de kleedkamer of wat dat het is ik weet het niet, ze stonden daar toch zeker wel met 7 of 8 personen koffie te drinken.

eigenlijk over het algemeen goed. Het vervelende was dat ik graag een kamer alleen had gehad en die afspraak was al 2 maanden geleden, op 26 maart op consultatie geweest bij de specialist en dan al onmiddellijk vastgelegd. En dan 2 maanden nadien de operatie en die was er niet die kamer en dat was heel(euh)(zucht) ja en dat kwam heel negatief over.
- Bottom Status Bar:** TV 2 items, Sources: 2 References: 2, Unfiltered, 100%.



TOEKENNEN VAN MEMO'S EN ANNOTATIES

Beide: alle toevoegingen of ideeën opgeroepen door een bepaalde deeltje van de data, maar specifieke plaats in programma:

- Memo's: te koppelen aan een interview of een code
- Annotaties: te koppelen aan een interviewfragment



TOEKENNEN VAN MEMO'S

- > Aan interview:
- > ‘Memo link’ > ‘link to new memo’ of ‘link to existing memo’ view)

The screenshot shows the NVivo Pro interface with the title "Project GOG - perspectief patiënten.npv - NVivo Pro". The "VIEW" tab is selected. In the "Sources" panel on the left, "Internals" is selected. The main area displays a table titled "Internals" with columns: Name, Nodes, References, Created On, Created By, Modified On, and Modified By. The table lists entries for "Patient 1" through "Patient 10". A context menu is open over "Patient 6". The menu items are: Memo Link (highlighted with a red box), Create As, Add To Set..., Visualize, Document Properties... (disabled), Color, and Classification. Below the menu, two options are highlighted with a red box: "Link to New Memo..." (CTRL+MAJ+K) and "Link to Existing Memo...".

Name	Nodes	References	Created On	Created By	Modified On	Modified By
Patient 1	0		0 6/10/2016 10:13	TV	6/10/2016 10:13	TV
Patient 10			0 6/10/2016 10:41	TV	6/10/2016 10:41	TV
Patient 11			0 6/10/2016 10:41	TV	6/10/2016 10:41	TV
Patient 12			0 6/10/2016 10:41	TV	6/10/2016 10:41	TV
Patient 13			0 6/10/2016 10:41	TV	6/10/2016 10:41	TV
Patient 14			0 6/10/2016 10:41	TV	6/10/2016 10:41	TV
Patient 15			0 6/10/2016 10:41	TV	6/10/2016 10:41	TV
Patient 16			1 6/10/2016 10:41	TV	6/10/2016 10:41	TV
Patient 17			0 6/10/2016 10:41	TV	6/10/2016 10:41	TV
Patient 18			0 6/10/2016 10:41	TV	6/10/2016 10:41	TV
Patient 2			0 6/10/2016 10:41	TV	6/10/2016 10:41	TV
Patient 3			0 6/10/2016 10:41	TV	6/10/2016 10:41	TV
Patient 4			0 6/10/2016 10:41	TV	6/10/2016 10:41	TV
Patient 5			0 6/10/2016 10:41	TV	6/10/2016 10:41	TV
Patient 6			0 6/10/2016 10:41	TV	6/10/2016 10:41	TV
Patient 7			0 6/10/2016 10:41	TV	6/10/2016 10:41	TV
Patient 8			0 6/10/2016 10:41	TV	6/10/2016 10:41	TV
Patient 9			0 6/10/2016 10:41	TV	6/10/2016 10:41	TV



TOEKENNEN VAN MEMO'S

> Aan code: > 'Memo link' > 'link to new memo' of 'link to existing memo'

The screenshot shows the NVivo Pro interface with the title "Project GOG - perspectief patiënten.nvp - NVivo Pro". The "VIEW" tab is selected in the top menu. On the left, there's a sidebar with categories like "Nodes", "Cases", "Relationships", and "Node Matrices". The main area displays a table of nodes with columns for "Name", "Sources", "References", "Created On", "Created By", "Modified On", and "Modified By". One node, "contact met hulpverlener", is selected. A context menu is open over this node, showing options like "New Node...", "Open Node...", "Export", "Print", "Cut", "Copy", "Paste", "Merge Into Selected Node...", "Merge Into New Child Node...", "Delete", "SUPPR", "Memo Link", "Expand/Collapse", "Move Up", "Move Down", "Create As", "Add To Set...", "Visualize", "Node Properties...", "Color", and "Aggregate Coding from Child Nodes". The "Memo Link" option is highlighted with a red box, and its submenu "Link to New Memo..." is also highlighted with a red box.



TOEKENNEN VAN MEMO'S

> Memo ('naam') toevoegen + eventueel beschrijving van memo > OK

The screenshot shows the NVivo Pro interface with the title bar "Project GOG - perspectiefpatiënten.nvp - NVivo Pro". The menu bar includes FILE, HOME, CREATE, DATA, ANALYZE, QUERY, EXPLORE, LAYOUT, and VIEW. The VIEW tab is selected. The workspace on the left shows a tree view with "Nodes" expanded, containing "Nodes", "Cases", "Relationships", and "Node Matrices". Below this is a "Sources" folder. The main area displays a list of nodes under the heading "Nodes". A "New Memo" dialog box is open in the foreground, showing fields for "Name" (set to "test memo 2"), "Description" (set to "les NVIVO"), "Location" (set to "Memos"), and "Size" (set to "0 KB"). The dialog has tabs for "General" and "Attribute Values". At the bottom right of the dialog are "OK" and "Cancel" buttons.



TOEKENNEN VAN MEMO'S

> Memo opent vanzelf > eigen toevoeging kan geschreven worden

The screenshot shows the NVivo Pro interface with the 'Nodes' view selected. In the center pane, there is a table titled 'Nodes' with columns 'Name', 'Sources', and 'References'. Two entries are listed:

Name	Sources	References
contact met hulpverleners	1	1
verwachting t.a.v. ziekenhuisopname	2	2

A red box highlights the text 'hier kan een tekst/memo/opmerking toegevoegd worden!' located above the table. The bottom status bar shows: 'In Nodes verwachting t.a.v. ziekenhuisopname (Nodes)', 'TV 2 Items', 'Linked', 'Nodes: 0 References: 0', 'Editable', 'Line: 1 Column: 51', and '100%'. A circular page number '38' is in the bottom right corner.



TOEKENNEN VAN MEMO'S

> Memo openen: op interview of node staan > open ‘memo link’ > ‘open linked memo’

The screenshot shows the NVivo Pro interface with the title bar "Project GOG - perspectiefpatiënten.nvp - NVivo Pro". The "VIEW" tab is selected in the ribbon. The main area displays a table titled "Internals" with columns: Name, References, Created On, Created By, Modified On, and Modified By. The table lists patients from 1 to 18. A context menu is open over "Patient 1", with the "Memo Link" option highlighted by a red box. A submenu for "Memo Link" is shown, containing "Link to New Memo...", "Link to Existing Memo", "Open Linked Memo" (which is also highlighted with a red box), and "Delete Memo Link". The left sidebar shows "Sources" with categories: Internals, Externals, Memos, and Framework Matrices. The bottom status bar shows "TV 18 items".



TOEKENNEN VAN MEMO'S

> Geopende memo

The screenshot shows the NVivo Pro interface with the following details:

- Toolbar:** FILE, HOME, CREATE, DATA, ANALYZE, QUERY, EXPLORE, LAYOUT, VIEW.
- Sources:** Internals, Externals, Memos, Framework Matrices.
- Internals View:** A table showing patient data:

Name	Nodes	References
Patiënt 1	0	0
Patiënt 10	0	0
Patiënt 11	0	0
Patiënt 12	0	0
Patiënt 13	0	0
Patiënt 14	0	0
Patiënt 15	1	1
Patiënt 16	0	0
Patiënt 17	0	0
Patiënt 18	0	0
Patiënt 2	0	0
Patiënt 3	0	0
Patiënt 4	0	0
Patiënt 5	0	0
Patiënt 6	2	2
Patiënt 7	0	0
Patiënt 8	0	0
Patiënt 9	0	0
- Memo Content:** A window titled "test memo 1" with the text "Click to edit".
- Bottom Status Bar:** TV 18 Items, Linked, Nodes: 0 References: 0, Read-Only, Line: 1 Column: 0, 100%.



TOEKENNEN VAN ANNOTATIES

> Interviewfragment selecteren > rechtermuisknop > ‘Links’ > ‘Annotation’ > ‘New annotation’

The screenshot shows the NVivo Pro interface with the following details:

- Project:** Project GOG - perspectiefpatiënten.nvp - NVivo Pro
- VIEW Tab:** Selected
- Sources Panel:** Shows 'Internals' selected under 'Sources'.
- Table View:** Shows a list of patients (Patient 1 to Patient 18) with columns for Name, Nodes, and References.
- Detail View:** Shows an interview fragment for 'Patient 1' with the following transcript:

L: want het is altijd dezelfde stagiaire dat ik heb. En zegt ze : ik ben juist naar buiten geweest rap ééntje gaan roken. En ik zeg : roken. Tegen haar. En gij die gestudeerd hebt voor verpleegkunde moet toch weten dat dat niet gezond is.
I: ja.
L: ph ja ik weet dat wel maar toch. Maar ja zegt ze : het zijn nog kleintjes hoor. En ik dacht bij mezelf van : kleintjes? Va dat in haar pijpenzakje, me
- Context Menu (Right-clicked on the transcript):** A context menu is open, with the 'Annotation' option highlighted and circled in red. Other options include Memo Link, See Also Link, and New Annotation.
- Taskbar:** Shows various application icons and the current file path: C:\Users\kceggerm... Project GOG - pers...
- System Tray:** Shows the date and time: 12:59.



TOEKENNEN VAN ANNOTATIES

- > Onderaan verschijnt scherm waar tekst kan ingegeven worden.
- > Ingeven van tekst bij ‘content’
- > Bij openen van interview zullen toegekende annotaties verschijnen

The screenshot shows the NVivo Pro interface for a project titled "Project GOG - perspectief patiënten.nvp". The top menu bar includes FILE, HOME, CREATE, DATA, ANALYZE, QUERY, EXPLORE, LAYOUT, and VIEW. The VIEW tab is selected, showing various display options like Annotations, Coding Strips, and Highlight. The left sidebar has a "Sources" section with categories: Internals, Externals, Memos, and Framework Matrices. Below it is a "Sources" tree with items like Nodes, Classifications, Collections, Queries, Reports, Maps, and Folders. The main workspace displays a table titled "Internals" with columns for Name, Nodes, and References. A list view shows entries for Patient 1 through Patient 19. On the right, a detailed view of Patient 1 is shown with transcripts of interactions between interviewer (I) and patient (L). A red box highlights the "Annotations" pane at the bottom right, which contains a table with one item and a content field. The status bar at the bottom shows "Nodes: 0 References: 0" and "Line: 46 Column: 91".



TOEKENNEN VAN ANNOTATIES

- > Bij dubbelklik op annotatie (item) wordt interviewfragment getoond waar annotatie aan gekoppeld werd

The screenshot shows the NVivo Pro interface with the following details:

- Toolbar:** FILE, HOME, CREATE, DATA, ANALYZE, QUERY, EXPLORE, LAYOUT, VIEW.
- Sources:** Internal, External, Memos, Framework Matrices.
- Annotations:** Annotations, See Also Links, Relationships, Links, Node Matrix, Report, Detail View, Reference, Color Scheme, Visualization.
- Content Area:** Shows a list of patients (Patient 1 to Patient 18) with their node and reference counts. A specific entry for Patient 1 is highlighted.
- Patient 1 Fragment:** Displays an interview transcript fragment with annotations. One line of text is highlighted with a red box:

L: oh ja ik weet dat wel maar toch. Maar ja zegt ze : het zijn nog kleintjes hoor. En ik dacht bij mezelf van : kleintjes? Van sigaretten zegt ze. Maar ja sigaretten zijn sigaretten en ze toonde mij dat in haar pijpezelje, met zo'n doosje en ja het was ver de grootte van een luciferdoosje.
- Annotations Table:** A table showing the annotation details for Patient 1. It has two columns: Item and Content. The content for item 1 is "test annotatie". This table is also highlighted with a red box.
- Bottom Status Bar:** TV 1 Item, Linked, Nodes: 0 References: 0, Read-Only, Line: 44 Column: 4, 100%.




TOEKENNEN VAN ANNOTATIES

> Overzicht annotaties kan verkregen worden via ‘Collections’ > ‘Annotations’. Dan dubbelklik op interview om annotation te openen.

The screenshot shows the NVivo Pro interface with the following elements:

- Toolbar:** FILE, HOME, CREATE, DATA, ANALYZE, QUERY, EXPLORE, LAYOUT, VIEW. The VIEW tab is selected.
- Collections pane:** Shows 'Annotations' selected (highlighted with a red box). Other options like 'Sets', 'Search Folders', 'Annotations', 'Sources', 'Nodes', 'Classifications', and 'Collections' are also listed.
- Annotations pane:** Shows a list of annotations for 'Patient 1'. One annotation is highlighted with a red box and has a red arrow pointing to it.
- Interview pane:** Displays a transcript of an interview. A specific line of text is highlighted with a red box and has a red arrow pointing to it.
- Annotations pane (bottom):** Shows the details of the selected annotation, which contains the text 'test annotatie'.
- Status bar:** At the bottom, it shows 'Nodes: 0 References: 0 Read-Only Line: 46 Column: 91'.

Voorbereiding





Voorbereiding




Transcripts van interviews

Interview transcripts are used to identify themes. In this example, the following themes are identified:

- A
- F
- G
- S
- G
- K
- F
- L
- O

Analyse



Rapport opmaken

- Vergelijken van fragmenten onder codes
- Samenvoegen codes

Cyclisch proces





VERGELIJKEN VAN FRAGMENTEN ONDER CODES

The screenshot shows the NVivo software interface with the title "codeboom familieleden i.f.v. printscreens Nvivo (NVivo 11) (2).nvp - NVivo Pro".

Nodes View: On the left, under the "Nodes" tab, there is a tree view of nodes. Some nodes are expanded to show their sources and references. A red arrow points from the "Nood aan ondersteuning" node to the search results.

Name	Sources	References
Andera (relevant, nog niet passend)	0	0
Beleving van ziekte en zorg	0	0
Behandeling	2	2
Contact met hulpverleners	2	2
Coping	3	4
Eenzaamheid	1	1
Eigen geriatrisch profiel	4	5
Illness perceptions	7	9
Invloed van eigen levensverhaal	1	3
Krachtbronnen	3	7
Leven voor de ziekte dat zich verderzet	12	36
Na het krijgen van de diagnose	8	9
Omgaan met waarheid	0	0
Relatie	0	0
Stressoren	2	2
'Toeschouwer' zijn bij lijden-achteruitgaan	7	12
Zorg dragen voor de patiënt	1	1
Nood aan ondersteuning	0	0
Opdracht van de geriatrisch VS	0	0
Relevante interactiepatronen	0	0
SYSTEEM	0	0
Taak-opdracht-rol van de mantelzorger	0	0

Search Results: The main pane displays search results for "Nood aan ondersteuning". A red arrow points from the first result to the "Coping" node in the tree view. A double-headed red arrow indicates a comparison between the two results.

Results:

- Result 1 - 1,84% Coverage:**

*I: En, kan u dan met iemand praten?
*F: Ik heb daar eigenlijk niet zo'n behoefte aan. En als ik dat heb, dan kan ik dat wel. Ik heb maar [naam vriendin] op te bellen en ik kan dat wel. Ik bedoel, ik heb maar mijn vriendin op te bellen en ik kan dat wel. Maar ik doe het niet. Een mens moet ook een beetje introspectie doen. Je moet niet altijd alles naar buiten flappen. Van als je een emotionele probleem hebt moet je niet aan de telefoon gaan hangen want dat lost, dat lost niet altijd iets op. Oogenschijnlijk wel omdat je u dan effens verlicht voelt. Maar tenslotte blijft het uw probleem. Dan is het beter dat je er effens mee omgaat met uw probleem en probeert van dat een plaats te geven.
- Result 2 - 0,20% Coverage:**

Ge moet het aanvaarden en het is zo en probeer je er maar het beste van te maken hé. Ja.
- Result 3 - 3,31% Coverage:**

*I: Hoe verwerkt u dat?
*F: Ik kan dat moeilijk zeggen hoe dat ik dat verwerk. Soms loop ik lastig op mijn eigen en kan ik geen weg met mijn eigen. Maar waarschijnlijk ondervindt mijn man dat dan ook dat het niet gaat maar die zegt ook niet veel. Hij heeft dat nooit gedaan. Nu zal hij gemakkelijker een keer vragen, is er iets of zeg het dan. Maar ja, kom, ik hou dat meestal voor mij. Ik zal wel een keer, het klinkt misschien raar, dat ik naar de kerk ga, een keer naar de kerk gaan om dan een keer te wenen, ge weet zo dat ik



SAMENVOEGEN CODES

- > Mogelijkheid 1: Invoegen onder bestaande code
- > In te voegen codes samen selecteren > ‘Cut’

The screenshot shows the NVivo Pro interface with the title bar "codeboom familieleden i.f.v. printscreens Nvivo (Nvivo 11) (2).nvp - NVivo Pro". The main window displays a hierarchical tree of nodes under "Tree Nodes". A context menu is open over several selected nodes, with the "Cut" option highlighted. The "Nodes" tab is selected in the left sidebar.

Name	Sources	References	Created On	Created By	Modified On	Modified By
Andere (relevant, nog niet passend)	0	0	3/05/2010 16:28	TV	3/05/2010 16:28	TV
Bellevin van ziekte en zorg	0	0	3/05/2010 16:07	TV	3/05/2010 16:07	TV
Nood aan ondersteuning	0	0	3/05/2010 16:28	TV	3/05/2010 16:28	TV
Contact met hulpverleners	11	14	6/05/2010 10:44	TV	16/02/2011 9:57	TV
Aangesproken worden als FL dat zorg draagt	6	6	30/10/2010 23:50	TV	15/02/2011 13:46	TV
Als patiënt	10	13	30/10/2010 16:26	TV	16/02/2011 14:29	TV
Bereikbaar	12	27	6/05/2010 10:45	TV	15/02/2011 17:06	TV
Continuïteit	3	3	21/06/2010 16:55	TV	2/11/2010 15:36	TV
Traditie	3	4	30/10/2010 17:00	TV	2/11/2010 15:29	TV
Copings (coping)	5	5	6/05/2010 10:45	TV	2/11/2010 15:40	TV
Geen leed	2	2	6/05/2010 10:45	TV	30/10/2010 16:41	TV
Omgaan	0	0	6/05/2010 10:44	TV	6/05/2010 10:44	TV
Ruimte voor	0	0	6/05/2010 10:44	TV	5/11/2010 14:17	TV
Zich kunnen	11	19	6/05/2010 10:44	TV	2/11/2010 7:21	TV
Zorg inschatten	3	7	6/05/2010 10:45	TV	16/02/2011 16:01	TV
Geen ondersteuning	10	21	6/05/2010 10:45	TV	16/02/2011 16:01	TV
Informatie	2	6	2/02/2011 14:10	TV	16/02/2011 14:48	TV
Patiënt die zich kan	6	6	6/05/2010 10:44	TV	15/02/2011 17:05	TV
Sociale contacten van de MZ	3	3	6/05/2010 10:44	TV	1/11/2010 14:59	TV
Opdracht van de geriatrische VS	6	10	18/06/2010 10:32	TV	16/02/2011 10:10	TV
Relevante interactiepatronen	0	0	3/05/2010 16:28	TV	3/05/2010 16:28	TV
SVSTEEM	0	0	26/05/2010 17:08	TV	26/05/2010 17:08	TV
Taak-opdracht-rol van de mantelzorger	0	0	3/05/2010 16:27	TV	3/05/2010 16:27	TV



SAMENVOEGEN CODES

- > Mogelijkheid 1: Invoegen onder bestaande code
- > Bestaande code selecteren > ‘Paste’

The screenshot shows the NVivo Pro interface with the title bar "codeboom familieleden i.f.v. printscreens Nvivo (Nvivo 11) (2).nvp - NVivo Pro". The ribbon menu includes FILE, HOME, CREATE, DATA, ANALYZE, QUERY, EXPLORE, LAYOUT, and VIEW. The left sidebar displays the workspace structure under "Nodes", including "Cases", "Free Nodes", "Tree Nodes", "Relationships", and "Node Matrices". The main area shows a hierarchical tree of nodes under "Tree Nodes". A red arrow points to a context menu that has opened over the node "Continuiteit". The menu options include: New Node... (CTRL+MAJ+N), Open Node... (CTRL+MAJ+O), Export, Print, Cut (CTRL+X), Copy (CTRL+C), Paste (CTRL+V), Merge Into Selected Node..., Merge Into New Child Node..., Delete (SUPPR), Memo Link, Expand/Collapse, Move Up (CTRL+MAJ+U), Move Down (CTRL+MAJ+D), Create As, Add To Set..., Visualize, Node Properties... (CTRL+MAJ+P), Color, and Aggregate Coding from Child Nodes.



SAMENVOEGEN CODES

➤ Mogelijkheid 1: Invoegen onder bestaande code - Ingevoegd

The screenshot shows the NVivo interface with the title "codeboom familieleden i.f.v. printscreens Nvivo (Nvivo 11) (2).nvp - NVivo Pro". The left sidebar has sections for Workspace, Nodes, Sources, and various reports like Collections, Queries, Reports, Maps, and Folders. The main area is titled "Tree Nodes" and displays a hierarchical list of nodes with columns for Name, Sources, References, Created On, Created By, Modified On, and Modified By. A red arrow points to the node "Als patiënt zelf goede zorg krijgt" under the "Contact met hulpverleners" category.

Name	Sources	References	Created On	Created By	Modified On	Modified By
Andere (relevant, nog niet passend)	0	0	3/05/2010 16:28	TV	3/05/2010 16:28	TV
Beleving van ziekte en zorg	0	0	3/05/2010 16:07	TV	3/05/2010 16:07	TV
Nood aan ondersteuning	0	0	3/05/2010 16:28	TV	3/05/2010 16:28	TV
Contact met hulpverleners	11	14	6/05/2010 10:44	TV	16/02/2011 9:57	TV
Aangesproken worden als FL dat zorg draagt	6	6	30/10/2010 23:50	TV	15/02/2011 13:46	TV
Als patiënt zelf goede zorg krijgt	10	13	30/10/2010 16:26	TV	16/02/2011 14:29	TV
Bereikbaarheid indien nodig - waakzaamheid	12	27	6/05/2010 10:45	TV	15/02/2011 17:06	TV
Continuiteit	3	3	21/06/2010 16:55	TV	2/11/2010 15:36	TV
Aangesproken worden als FL dat zorg draagt	6	6	6/10/2016 13:43	TV	15/02/2011 13:46	TV
Als patiënt zelf goede zorg krijgt	10	13	6/10/2016 13:43	TV	16/02/2011 14:29	TV
Bereikbaarheid indien nodig - waakzaamheid	12	27	6/10/2016 13:43	TV	15/02/2011 17:06	TV
Trajectbegeleider	3	4	30/10/2010 17:00	TV	2/11/2010 15:29	TV
Coping (ondersteunen)	5	5	6/05/2010 10:45	TV	2/11/2010 15:40	TV
Geen leid aan het lijden toevoegen	2	2	6/05/2010 10:45	TV	30/10/2010 16:41	TV
Omgaan met waarheid	0	0	6/05/2010 10:44	TV	6/05/2010 10:44	TV
Ruimte voor de beleving (van de mantelzorger en van de patiënt)	11	19	6/05/2010 10:44	TV	5/11/2010 14:17	TV
Zich kunnen verlaten op hulpverleners	3	7	6/05/2010 10:45	TV	2/11/2010 7:21	TV
Zorg inschakelen opdat eigen zorg haalbaar blijft	10	21	6/05/2010 10:45	TV	16/02/2011 16:01	TV
Geen ondersteuning nodig	2	6	2/02/2011 14:10	TV	16/02/2011 14:48	TV
Informatie	6	6	6/05/2010 10:44	TV	15/02/2011 17:05	TV
Patient die zorgdraagt voor de familie	3	3	6/05/2010 10:44	TV	1/11/2010 14:59	TV
Sociale contacten van de MZ	6	10	18/06/2010 10:32	TV	16/02/2011 10:10	TV
Opdracht van de geriatrisch VS	0	0	3/05/2010 16:28	TV	3/05/2010 16:28	TV



SAMENVOEGEN CODES

- > Mogelijkheid 2: Invoegen onder nieuwe code
- > Nieuwe code aanmaken (rechtermuisknop)

The screenshot shows the NVivo software interface with the title "codeboom familieleden i.v.v. printscreens Nvivo (Nvivo 11) (2).nvp - NVivo Pro". The main window displays a table of "Tree Nodes" with columns: Name, Sources, References, Created On, Created By, Modified On, and Modified By. The nodes listed include "Andere (relevant, nog niet passend)", "Beleving van ziekte en zorg", "Nood aan ondersteuning", "Opdracht van de geriatrisch VS", "Relevante interactiepatronen", "SYSTEEM", and "Taal-opdracht-rol van de mantelzorger".

The left sidebar shows navigation categories: Nodes, Cases, Free Nodes, Tree Nodes, Relationships, and Node Matrices. The "Nodes" category is currently selected.

A context menu is open over one of the nodes in the list, with the option "New Node... CTRL+MAJ+N" highlighted. Other options in the menu include "Export List...", "Print List", "Paste CTRL+V", "Merge Into New Node...", "Sort By", "List View", "Expand/Collapse", and "Refresh F5".

The bottom status bar indicates "TV 226 items".



SAMENVOEGEN CODES

- > Mogelijkheid 2: Invoegen onder nieuwe code
- > ‘Naam en beschrijving’ kan ingevuld worden

The screenshot shows the NVivo Pro interface with the title bar "codeboom familieleden i.f.v. printscreens Nvivo (NVivo 11) (2).nvp - NVivo Pro". The menu bar includes FILE, HOME, CREATE, DATA, ANALYZE, QUERY, EXPLORE, LAYOUT, and VIEW. The toolbar has various icons for workspace, item, clipboard, and editing functions. The left sidebar shows a tree view under "Nodes" with categories like Cases, Free Nodes, Tree Nodes, and Relationships. The main area displays "Tree Nodes" with a list of nodes including "Andere (relevant, nog niet passend)", "Beleving van ziekte en zorg", "Nood aan ondersteuning", "Opdracht van de geriatrisch VS", "Relevante interactiepatronen", "SYSTEEM", and "Taal-opdracht-rol van de mantelzorg". A "New Node" dialog box is open, showing the "General" tab with the "Name" field containing "motivatie zorgdragen" (which is highlighted with a red box). Other fields include "Description", "Nickname", "Hierarchical name" (set to "Nodes\\Tree Nodes\\motivatie zorgdragen"), and "Aggregate coding from child nodes" (unchecked). The "OK" button is visible at the bottom right of the dialog. The status bar at the bottom left shows "TV 226 items".



SAMENVOEGEN CODES

- > Mogelijkheid 2: Invoegen onder nieuwe code
- > Vervolgens zelfde stappen als bij invoegen in bestaande code

The screenshot shows the NVivo Pro interface with the following details:

- Nodes pane:** Shows categories like Nodes, Cases, Free Nodes, Tree Nodes, etc.
- Tree Nodes list:** A table showing nodes with columns: Name, Sources, References, Created On, Created By, Modified On, Modified By.
- Selected Node:** "Relevante interactiepatronen" is selected, highlighted with a red arrow.
- Context Menu:** A right-click menu is open over the selected node, listing options: Export, Print, Cut (highlighted with a blue box), Copy, Delete, Expand/Collapse, Move Up, Move Down, Create As, Add To Set..., Visualize, Color, and Aggregate Coding from Child Nodes.
- Toolbar:** Standard Microsoft Office-like toolbar with FILE, HOME, CREATE, DATA, ANALYZE, QUERY, EXPLORE, LAYOUT, and VIEW tabs.
- Top Bar:** Includes workspace, item, clipboard, and editing tools like Select, Text, Find, Replace, Delete, and Spelling.
- Status Bar:** Shows "TV 2 items selected".



SAMENVOEGEN CODES

> Mogelijkheid 2: Invoegen onder nieuwe code

The screenshot shows the NVivo Pro interface with the title "codeboom familieleden i.f.v. printscreens Nvivo (Nvivo 11) (2).nvp - NVivo Pro". The main area displays a table of "Tree Nodes" with columns: Name, Sources, References, Created On, Created By, Modified On, and Modified By. The node "motivatie zorgdragen" is selected and highlighted with a blue background. A context menu is open over this node, showing options such as New Node..., Open Node..., Export, Paste, Delete, and others. The left sidebar shows navigation categories like Nodes, Cases, Relationships, and Node Matrices. The bottom left corner shows the user "TV" and "227 Items".

Name	Sources	References	Created On	Created By	Modified On	Modified By
Andere (relevant, nog niet passend)	0	0	3/05/2010 16:28	TV	3/05/2010 16:28	TV
Beleving van ziekte en zorg	0	0	3/05/2010 16:07	TV	3/05/2010 16:07	TV
motivatie zorgdragen	0	0	6/10/2016 13:46	TV	6/10/2016 13:46	TV
Nood aan ondersteuning	0	0	3/05/2010 16:28	TV	3/05/2010 16:28	TV
Opdracht van de geriatrisch VS	0	0	3/05/2010 16:28	TV	3/05/2010 16:28	TV
Relevante interactiepatronen	0	0	3/05/2010 16:28	TV	3/05/2010 16:28	TV
SYSTEEM	0	0	26/05/2010 17:08	TV	26/05/2010 17:08	TV
Taak-opdracht-rol van de mantelzorger	0	0	3/05/2010 16:27	TV	3/05/2010 16:27	TV



SAMENVOEGEN CODES


> Mogelijkheid 2: Invoegen onder nieuwe code - Ingevoegd

The screenshot shows the Nvivo interface with the title "codeboom familieleden i.f.v. printscreens Nvivo (Nvivo 11) (2).nvp - Nvivo Pro". The main window displays a hierarchical list of nodes under "Tree Nodes". A red arrow points to the node "Opdracht van de geriatrisch VS" which is a child of "motivatie zorgdragen".


Name	Sources	References	Created On	Created By	Modified On	Modified By
Andere (relevant, nog niet passend)	0	0	3/05/2010 16:28	TV	3/05/2010 16:28	TV
Beleving van ziekte en zorg	0	0	3/05/2010 16:07	TV	3/05/2010 16:07	TV
motivatie zorgdragen	0	0	6/10/2016 13:46	TV	6/10/2016 13:46	TV
Opdracht van de geriatrisch VS	0	0	3/05/2010 16:28	TV	3/05/2010 16:28	TV
Relevante interactiepatronen	0	0	3/05/2010 16:28	TV	3/05/2010 16:28	TV
Nood aan ondersteuning	0	0	3/05/2010 16:28	TV	3/05/2010 16:28	TV
SYSTEEM	0	0	26/05/2010 17:08	TV	26/05/2010 17:08	TV
Taak-opdracht-rol van de mantelzorger	0	0	3/05/2010 16:27	TV	3/05/2010 16:27	TV

The left sidebar shows the project structure with "Nodes" selected. The bottom status bar indicates "TV 227 Items".

Voorbereiding



Voorbereiding



- Codeboom
vormen



Rapport opmaken



GEVORMDE CODEBOOM

codeboom familieleden i.f.v. printscreens Nvivo (Nvivo 11) (2).nvp - Nvivo Pro

FILE HOME CREATE DATA ANALYZE QUERY EXPLORE LAYOUT VIEW

Go Refresh Open Properties Edit Paste Copy Merge Cut Clipboard Format Paragraph Styles Reset Settings Select PDF Selection Text Region Find ab vāc Replace Delete ABC Spelling Proofing

Nodes

Look for Search In Tree Nodes Find Now Clear Advanced Find X

Name	Sources	References	Created On	Created By	Modified On	Modified By
Andere (relevant, nog niet passend)	0	0	3/05/2010 16:28	TV	3/05/2010 16:28	TV
(perceptie van beleving van de patiënt)	12	28	6/05/2010 10:55	TV	16/02/2011 14:49	TV
Behandeling	0	0	6/05/2010 10:56	TV	6/05/2010 10:56	TV
Contact omgeving	0	0	6/05/2010 10:56	TV	6/05/2010 10:56	TV
Perceptie over de krachtbronnen van de patiënt	11	28	18/06/2010 8:33	TV	16/02/2011 14:49	TV
Perceptie over stressoren voor de patiënt	6	12	21/06/2010 16:47	TV	16/02/2011 15:54	TV
Psychologie oudere mensen	1	1	1/11/2010 15:18	TV	1/11/2010 15:19	TV
Voorgeschiedenis (niet de eerste ca. diagnose)	2	5	2/11/2010 14:43	TV	3/11/2010 9:21	TV
Beleving van ziekte en zorg	0	0	3/05/2010 16:07	TV	3/05/2010 16:07	TV
Behandeling	2	2	3/05/2010 16:27	TV	7/03/2011 15:59	TV
Contact met hulpverleners	2	2	3/05/2010 16:23	TV	5/11/2010 15:20	TV
Coping	3	4	18/06/2010 9:35	TV	2/11/2010 6:44	TV
Eenzaamheid	1	1	16/03/2011 15:01	TV	16/03/2011 15:02	TV
Eigen geriatrisch profiel	4	5	30/10/2010 23:59	TV	16/02/2011 15:36	TV
Illness perceptions	7	9	3/05/2010 16:27	TV	4/11/2010 14:14	TV
Invloed van eigen levensverhaal	1	3	2/02/2011 14:23	TV	16/03/2011 15:30	TV
Krachtbronnen	3	7	3/05/2010 16:27	TV	4/11/2010 19:13	TV
Leven van voor de ziekte dat zich verderzet	12	36	31/10/2010 13:52	TV	16/02/2011 13:47	TV
Na het krijgen van de diagnose	8	9	28/10/2010 13:41	TV	16/02/2011 9:57	TV
Omgaan met waarheid	0	0	3/05/2010 16:08	TV	18/06/2010 8:56	TV
Relatie	0	0	3/05/2010 16:22	TV	3/05/2010 16:22	TV
Stressoren	2	2	3/05/2010 16:27	TV	2/11/2010 10:45	TV
'Toeschouwer' zijn bij lijden-achteruitgaan van de patiënt	7	12	3/08/2010 10:47	TV	4/11/2010 20:55	TV
Zorg dragen voor de patiënt	1	1	3/05/2010 16:23	TV	12/05/2010 16:44	TV
Nood aan ondersteuning	0	0	3/05/2010 16:28	TV	3/05/2010 16:28	TV

Sources

Nodes

Classifications

Collections

Queries


Reports

Maps

Folders

TV 226 Items

Voorbereiding







Voorbereiding



Analyse

Transcripts van interviews



Rapport opmaken

Cyclisch proces



RAPPORT MAKEN

Zie apart document op Minerva:
‘Maken van een rapport in NVIVO’
met stappenplan en printscreens

Maken van een rapport in NVIVO 10
Gebaseerd op de tekst van Saskia Decman

Onder dit document:
Uitleggen hoe men een rapport, document kan maken in Nvivo 10 waarin alle codes met hun beschrijving (en gecodeerde tekstfragmenten) worden weergegeven.
Andere opties eveneens mogelijk. Hieronder wordt slechts één aangegeven. Interessant dit eens zelf te experimenteren.

Uitgangssituatie:

- Er is een project aangemaakt in Nvivo 10.
- Een interview werd gelimposeerd in Nvivo 10.
- Dat interview is gedooderd.
- De codes hebben een beschrijving gekregen.
- Het project is geopend in Nvivo 10.

Stappen om een rapport aan te maken (zie printscreens per stap)

1. Ga in de menu balk naar "explore", "new report", "new report via Wizard".
2. Kies voor de optie: "From a view", "node" en klik op "next".
3. Links zie je de beschikbare velden. Wij zullen voor dit rapport volgende zaken naar rechts brengen (selected fields) door deze te selecteren en op de bovenste pijl te klikken:
 - a. "Node" openklappen. Vervolgens "name" en "description" naar rechts brengen.
 - b. "Node, Coded source" openklappen. Vervolgens "name" en "description" naar rechts brengen.
 - c. "Coded source, Coding reference" openklappen. Vervolgens "coded text" naar rechts brengen.
4. Klik daarna op "next".
5. Voor deze toepassing gaan we niet "filteren", ga dus naar "next".
6. Idem voor "grouping levels" dus ga gewoon naar "next".
7. Sorteren: sorteer de "node name" oplopend ("ascending").
8. Layout, bijvoorbeeld: tabular, landscape
9. Style, bijvoorbeeld: classic
10. Titel geven.
11. Klik op "Finish".



**BEDANKT VOOR
UW AANDACHT!**

